















evidence from the present experiments suggests that protocols of ozone administration may be developed to predictively ensure effective and permanent metabolic cell activation.

## References

1. Re L, Mawsouf MN, Menéndez S, León OS, Sánchez GM, Hernández F. Ozone therapy: clinical and basic evidence of its therapeutic potential. *Arch Med Res* 2008;39:17-26.
2. Elvis AM, Ekta JS. Ozone therapy: A clinical review. *J Nat Sc Biol Med* 2011;2:66-70.
3. Bocci V. How a calculated oxidative stress can yield multiple therapeutic effects. *Free Radic Res* 2012;46:1068-75.
4. Bocci V, Zanardi I, Travagli V. Potentiality of oxygen-ozone therapy to improve the health of aging people. *Curr Aging Sci* 2010;3:177-87.
5. El-Sawalhi MM, Darwish HA, Mawsouf MN, Shaheen AA. Modulation of age-related changes in oxidative stress markers and energy status in the rat heart and hippocampus: a significant role for ozone therapy. *Cell Biochem Funct* 2013;31:518-25.
6. Shehata NI, Abd-Elgawad HM, Mawsouf MN, Shaheen AA. The potential role of ozone in ameliorating the age-related biochemical changes in male rat cerebral cortex. *Biogerontology* 2012;13:565-81.
7. SCO3 - International Scientific Committee of Ozonotherapy. (Madrid, 2012). Ozone therapy and its scientific foundations. Available from: <http://www.isco3.org>
8. Sagai M, Bocci V. Mechanisms of action involved in ozone therapy: is healing induced via a mild oxidative stress? *Med Gas Res* 2011;1:29.
9. Larini A, Bianchi L, Bocci V. The ozone tolerance: I) Enhancement of antioxidant enzymes is ozone dose-dependent in leukocytes. *Free Radical Res* 2003;37:1163-8.
10. Freitas I, Griffini P, Bertone V, Bertone R, Fenoglio C, Milliere R, et al. In situ detection of reactive oxygen species and nitric oxide production in normal and pathological tissues: improvement by differential interference contrast. *Exp Gerontol* 2002;37:591-602.
11. Reers M, Smith TW, Chen LB. J-aggregate formation of a carbocyanine as a quantitative fluorescent indicator of membrane potential. *Biochemistry* 1991;30:4480-6.
12. Bottone MG, Soldani C, Veneroni P, Avella D, Pisu M, Bernocchi G. Cell proliferation, apoptosis and mitochondrial damage in rat B50 neuronal cells after cisplatin treatment. *Cell Prolif* 2008;41:506-20.
13. Jensen PO, Larsen J, Christiansen J, Larsen JK. Flow cytometric measurement of RNA synthesis using bromouridine labelling and bromodeoxyuridine antibodies. *Cytometry* 1993;14:455-8.
14. Sakai J, Li J, Subramanian KK, Mondal S, Bajrami B, Hattori H, et al. Reactive oxygen species (ROS)-induced actin glutathionylation controls actin dynamics in neutrophils. *Immunity* 2012;37:1037-49.
15. Taulet N, Delorme-Walker VD, Dermardirossian C. Reactive oxygen species regulate protrusion efficiency by controlling actin dynamics. *PLoS ONE* 2012;7:e41342.
16. Muliylil S, Narasimha M. Mitochondrial ROS regulates cytoskeletal and mitochondrial remodeling to tune cell and tissue dynamics in a model for wound healing. *Dev Cell* 2014;28:239-52.
17. Travagli V, Zanardi I, Silvietti A, Bocci V. A physicochemical investigation on the effects of ozone on blood. *Int J Biol Macromol* 2007;41:504-11.
18. Artis AS, Aydogan S, Sahin MG. The effects of colorectally insufflated oxygen-ozone on red blood cell rheology in rabbits. *Chin Hemorheol Microcirc* 2010;45:329-36.
19. Jacinto A, Martinez-Arias A, Martin P. Mechanisms of epithelial fusion and repair. *Nat Cell Biol* 2001;3:E117-22.
20. Cowin AJ, Hatzirodos N, Teisner JT, Belford DA. Differential effect of wounding on actin and its associated proteins, paxillin and gelsolin, in fetal skin explants. *J Invest Dermatol* 2003;120:1118-29.
21. Lees AG, Ching YW, Adams DH, Bach CT, Samuel MS, Kee AJ, et al. Tropomyosin regulates cell migration during skin wound healing. *J Invest Dermatol* 2013;133:1330-9.
22. Mailloux RJ, Jin X, Willmore WG. Redox regulation of mitochondrial function with emphasis on cysteine oxidation reactions. *Redox Biol* 2014;2:123-39.
23. Madej P, Plewka A, Madej JA, Plewka D, Mroccka W, Wilk K, et al. Ozone therapy in induced endotoxemic shock. II. The effect of ozone therapy upon selected histochemical reactions in organs of rats in endotoxemic shock. *Inflammation* 2007;30:69-86.
24. Lintas G, Molinari F, Simonetti V, Franzini M, Liboni W. Time and time-frequency analysis of near-infrared signals for the assessment of ozone autohemotherapy long-term effects in multiple sclerosis. *Conf Proc IEEE Eng Med Biol Soc* 2013;2013:6171-4.
25. Liu Y, Liu W, Song X-D, Zuo J. Effect of GRP75/mthsp70/PBP74/mortalin overexpression on intracellular ATP level, mitochondrial membrane potential and ROS accumulation following glucose deprivation in PC12 cells. *Mol Cell Biochem* 2005;268:45-51.
26. Wu R, Zhao YH, Plopper CG, Chang MM, Chmiel K, Cross JJ, et al. Differential expression of stress proteins in nonhuman primate lung and conducting airway after ozone exposure. *Am J Physiol* 1999;277:L511-22.
27. Wadhwa R, Taira K, Kaul SC. An Hsp70 family chaperone, mortalin/mthsp70/PBP74/Grp75: what, when, and where? *Cell Stress Chaperones* 2002;7:309-16.
28. Flachbartová Z, Kovacech B. Mortalin - a multipotent chaperone regulating cellular processes ranging from viral infection to neurodegeneration. *Acta Virol* 2013;57:3-15.
29. Cardile V, Jiang X, Russo A, Casella F, Renis M, Bindoni M. Effects of ozone on some biological activities of cells in vitro. *Cell Biol Toxicol* 1995;11:11-21.
30. Bocci V, Annuncci C, Mosci F, Carraro F, Velacchi G. Ozonation of human blood induces a remarkable upregulation of heme oxygenase-1 and heat stress protein-70. *Mediators Inflamm* 2007;2007:26785.
31. Bauer AK, Rondini EA, Hummel KA, Degraff LM, Walker C, Jedlicka AE, et al. Identification of candidate genes downstream of TLR4 signaling after ozone exposure in mice: a role for Heat-Shock Protein 70. *Environ Health Perspect* 2011;119:1091-7.
32. Fakan S. Ultrastructural cytochemical analyses of nuclear functional architecture. *Eur J Histochem* 2004;48:5-14.
33. Nollen EA, Salomons FA, Brunsting JF, van der Want JJ, Sibon OC, Kampinga HH. Dynamic changes in the localization of thermally unfolded nuclear proteins associated with chaperone-dependent protection. *Proc Natl Acad Sci USA* 2001;98:12038-43.
34. Kotoglou P, Kalaitzakis A, Vezyraki P, Tzavaras T, Michalis LK, Dantzer F, et al. Hsp70 translocates to the nuclei and nucleoli, binds to XRCC1 and PARP-1, and protects HeLa cells from single-strand DNA breaks. *Cell Stress Chaperones* 2009;14:391-406.
35. Baski P, Mahboubi H, Kodihai M, Shrivastava S, Kanagaratham C, Stochaj U. Nucleolar targeting of the chaperone hsc70 is regulated by stress, cell signaling, and a composite targeting signal which is controlled by autoinhibition. *J Biol Chem* 2010;285:21858-67.
36. Khalouei S, Chow AM, Brown IR. Localization of heat shock protein HSPA6 (HSP70B) to sites of transcription in cultured differentiated human neuronal cells following thermal stress. *J Neurochem* 2014;131:743-54.